



Connecting a Computer to the Domain

1. Power on the machine and you will see this screen
2. Press Ctrl-Alt Delete,




3. You will see this screen
 - This password will change once you have connected the machine to the network and followed the next procedure.
 - Once you have completed the following you will be an "Administrator" on the computer.
4. In the password box type **qsys0208**
5. Click OK




6. Right Click on My Computer icon



7. Click on Properties




8. Click Computer Name tab



9. Click Change

10. TPS computer naming convention is the code for the site student name-the machines service tag number. For Example: Memorial student log-in name is memstudent, so the code would be mem-service tag number. New machines from Dell are prenamed with a name that starts with d and then the service tag. Delete the d, and the name for this **computer would be MEM-H0BVRD1**.

- YOU will be prompted to restart the computer at this point
- After you hit the first ok you can click the change button again and then proceed to changing the domain



11. In **Member of** select Domain

12. Type the Domain to join the computer to Either ME or ESC


- **ME** domain is for computer that are primarily used by students.
- The **ESC** domain is for machines that are primarily used by adults.
- Any user can log-in to any machine. The distinction is that with two domains it is possible to manage the machines differently for different users.

13. Click OK



14. When you join a machine to a domain, the domain controller will ask you to authenticate yourself. Type in your complete log-in id as esc\5x2 username and your domain password.

15. Click OK



16. You should see the Computer Name Changes “welcome to the ___ domain,”
Click OK





17. You will get the following dialog box, Click OK



18. Click OK

19. Click Yes



20. Machine will reboot.

21. The TPSROOT password will change to the ISS password that only ISS staff knows.

22. You can now logon with your 5x2 username and password, and have administrator privileges on that machine.

- Change the domain from the local machine name to the ESC Domain

23. Machine is now ready to begin using.